

1		1
2		2
3		3
4		4
5		5
6	CONTENTS	6
7		7
8		8
9		9
10		10
11		11
12	<i>Organizers</i>	ix 12
13		13
14	<i>Lecturers</i>	x 14
15		15
16	<i>Participants</i>	xi 16
17		17
18	<i>Foreword</i>	xiii 18
19		19
20	<i>Course 1. Topics in string phenomenology, by I. Antoniadis</i>	1 20
21		21
22	1. Introduction	5 22
23	2. Framework of low scale strings	7 23
24	3. Experimental implications in accelerators	8 24
25	3.1. World-brane extra dimensions	8 25
26	3.2. Extra large transverse dimensions	11 26
27	3.3. String effects	13 27
28	4. Supersymmetry in the bulk and short range forces	14 28
29	4.1. Sub-millimeter forces	14 29
30	4.2. Brane non-linear supersymmetry	17 30
31	5. Electroweak symmetry breaking	18 31
32	6. Standard Model on D-branes	21 32
33	6.1. Hypercharge embedding and the weak angle	23 33
34	6.2. The fate of $U(1)$'s, proton stability and neutrino masses	24 34
35	7. Internal magnetic fields	26 35
36	8. Minimal Standard Model embedding	27 36
37	9. Moduli stabilization	29 37
38	9.1. Supersymmetry conditions	31 38
39	9.2. Tadpole cancellation conditions	34 39
40	9.3. Spectrum	36 40
41	9.4. A supersymmetric $SU(5)$ GUT with stabilized moduli	37 41
42		42

Contents

1	10. Gaugino masses and D-term gauge mediation	38	1
2	References	41	2
3			3
4			4
5	<i>Course 2. Orientifolds, and the search for the Standard Model</i>	5	
6	<i>in string theory, by Elias Kiritsis</i>	45	6
7			7
8	1. Introduction	49	8
9	2. What we are looking for	54	9
10	3. Classification of bottom-up embeddings	59	10
11	3.1. Orientable configurations	60	11
12	3.2. Charge quantization	65	12
13	3.3. Non-orientable configurations	66	13
14	3.4. The cases $x = -\frac{1}{2}$ or $x = \frac{3}{2}$	67	14
15	3.5. The case $x = 1$	68	15
16	3.6. Realizations with three brane stacks for $x = 0$	69	16
17	3.7. Realizations with three brane stacks for $x = \frac{1}{2}$	70	17
18	3.8. Solutions with type E and F branes	71	18
19	3.9. Solutions with type G branes	72	19
20	4. Statistics of bottom-up configurations	73	20
21	4.1. Three stacks: the $U(3) \times U(2) \times U(1)$ models	73	21
22	4.2. Four stacks: $U(3) \times U(2) \times U(1) \times U(1)'$ models	75	22
23	5. Top-down configurations and SM spectra	80	23
24	5.1. Scope of the top-down search	80	24
25	5.2. Standard model brane configurations found	82	25
26	5.3. Bottom-up versus top-down	85	26
27	5.4. Standard model brane configurations not found	92	27
28	5.5. Higgs, neutrino and mirror distributions	95	28
29	6. Solutions to the tadpole conditions	97	29
30	6.1. Hypercharge embeddings of the tadpole solutions	98	30
31	6.2. Notation	99	31
32	6.3. $U(3) \times U(2) \times U(1)$ models	99	32
33	6.4. Unification	101	33
34	6.5. Curiosities	107	34
35	7. Phenomenological implications and the problem of masses	109	35
36	7.1. Antisymmetric anti-quarks and the problem of quark masses	109	36
37	7.2. Masses in $SU(5)$ and flipped $SU(5)$ vacua and instanton effects	112	37
38	7.3. Family symmetries	114	38
39	7.4. Neutrino masses	116	39
40	8. Dependence of the results on the Calabi–Yau topology	117	40
41	References	119	41
42			42

Contents

1	<i>Course 3. Lectures on supersymmetry breaking,</i>	1
2	<i>by Kenneth Intriligator and Nathan Seiberg</i>	125
3		2
4	1. Introduction	129
5	2. Semiclassical spontaneous supersymmetry breaking	131
6	2.1. The simplest example	132
7	2.2. The simplest example but with more general Kähler potential	132
8	2.3. Additional degrees of freedom can restore supersymmetry	134
9	2.4. An example with a runaway [18]	135
10	2.5. O'Raifeartaigh-type models	136
11	2.6. Metastable SUSY breaking in a modified O'Raifeartaigh	139
12	model [17]	12
13	2.7. Supersymmetry breaking by rank condition [9]	140
14	2.8. One-loop lifting of pseudomoduli	142
15	2.9. Relation to R-symmetry [11]	149
16	3. Supersymmetric QCD	150
17	3.1. Super Yang–Mills theory— $N_f = 0$	150
18	3.2. Semiclassical SQCD	152
19	3.3. Adding large quark mass terms	154
20	3.4. $N_f < N_c$ massless flavors [28]	155
21	3.5. $N_f = N_c$ massless flavors [29]	156
22	3.6. $N_f > N_c$ [33]	157
23	3.7. Adding small mass terms	158
24	4. Dynamical supersymmetry breaking	159
25	4.1. The (3,2) model [38]	160
26	4.2. Modified moduli space example [50, 51]	161
27	4.3. Metastable states in SQCD [9]	165
28	4.4. Naturalizing (retrofitting) models [21, 60]	167
29	References	170
30		29
31		30
32	<i>Course 4. Supersymmetry and the real world,</i>	31
33	<i>by G.F. Giudice</i>	32
34		33
35	1. Summary	177
36	References	177
37		35
38	<i>Course 5. Les Houches lectures on cosmology and</i>	36
39	<i>fundamental theory, by Juan M. Maldacena</i>	37
40	1. Review of standard cosmology	179
41	1.1. Big questions	38
42		39
		183
		186
		40
		41
		42

Contents

1	2. Review of standard inflationary theory	186	1
2	3. Generation of fluctuations during inflation	190	2
3	4. Models of inflation	197	3
4	5. Alternatives to inflation	204	4
5	6. Remarks on AdS/CFT and dS/CFT	205	5
6	6.1. AdS/CFT	205	6
7	6.2. dS-CFT	207	7
8	References	213	8
9			9
10	<i>Course 6. Spontaneous breaking of space-time symmetries,</i>	10	
11	<i>by Eliezer Rabinovici</i>	217	11
12			12
13	1. Introduction	221	13
14	2. Spontaneous breaking of space symmetries	221	14
15	2.0.1. Kinematics: Attempts to break spatial translational	222	15
16	invariance through boundary conditions	222	16
17	2.0.2. Dynamics: The Landau theory of liquid-solid phase	226	17
18	transitions	226	18
19	2.1. String theory compactifications	232	19
20	2.2. Liquid crystals	236	20
21	2.3. Boundary perturbations	237	21
22	3. Spontaneous breaking of time translational invariance and of	239	22
23	supersymmetry	239	23
24	3.1. Conformal quantum mechanics: A stable system with no ground	240	24
25	state breaks time translational invariance	240	25
26	3.2. Superconformal quantum mechanics: A stable system with no	244	26
27	ground state breaks also supersymmetry	244	27
28	4. Spontaneous breaking of conformal invariance	246	28
29	5. $O(N)$ vector models in $d = 3$: Spontaneous breaking of scale	248	29
30	invariance and the vacuum energy	253	30
31	5.1. Conclusions	253	31
32	References	254	32
33			33
34	<i>Course 7. The Standard Model from D-branes in string</i>	34	
35	<i>theory, by Angel M. Uranga</i>	257	35
36			36
37	1. Introduction	261	37
38	2. Overview of D-branes	262	38
39	2.1. Properties of D-branes	262	39
40	2.2. World-volume fields	264	40
41	2.3. Chirality and D-branes	266	41
42			42

Contents

1	3. Intersecting D6-branes	267	1
2	3.1. Local geometry and spectrum	267	2
3	3.2. Supersymmetry for intersecting D6-branes	269	3
4	4. Compact four-dimensional models	271	4
5	4.1. Toroidal models	272	5
6	4.1.1. Construction	272	6
7	4.1.2. RR tadpole cancellation	274	7
8	4.1.3. Anomaly cancellation	275	8
9	4.2. Generalization beyond torus: Model building with A-type branes	277	9
10	4.3. Phenomenological features	278	10
11	5. Orientifold models	279	11
12	5.1. Properties of O6-planes	280	12
13	5.2. O6-planes and D6-branes	281	13
14	5.3. Orientifold compactifications with intersecting D6-branes	285	14
15	5.3.1. Construction	285	15
16	5.3.2. Toroidal orientifold models	286	16
17	6. Getting just the standard model	288	17
18	6.1. The $U(2)$ class	288	18
19	6.2. The $USp(2)$ class	290	19
20	7. Supersymmetric models	291	20
21	7.1. Orientifold of $T^6/Z_2 \times Z_2$	291	21
22	Appendix A. Spectrum of open strings	294	22
23	Appendix A.1. Single D-brane in flat 10d space	294	23
24	Appendix A.2. Open string spectrum for intersecting D6-branes	297	24
25	References	298	25
26			26
27			27
28	<i>Course 8. Non-renormalisation theorems in superstring and</i>		28
29	<i>supergravity theories, by Pierre Vanhove</i>	301	29
30			30
31	1. Introduction	305	31
32	2. Ultra-violet divergences ...	306	32
33	2.1. ... in pure gravity	307	33
34	2.2. ... in extended supergravity	308	34
35	3. Critical dimension for (logarithmic) ultra-violet divergences	311	35
36	3.1. Is $N = 8$ equal to $(N = 4)^2$?	313	36
37	4. Higher loop amplitudes in supergravity theories	315	37
38	4.1. Cut construction of the loop amplitudes	316	38
39	4.2. The one-loop amplitude	318	39
40	4.3. Two-loop amplitude	320	40
41	4.4. Higher-loop amplitudes	321	41
42			42

Contents

1	5. Duality constraints	323	1
2	5.1. The M-theory conjecture	323	2
3	5.2. An all order argument for $\beta_L = L$	326	3
4	6. The contributions from the one-loop amplitude	328	4
5	6.1. The circle compactification	329	5
6	6.2. The torus compactification	330	6
7	6.3. The three-torus compactification	331	7
8	7. The contributions from the two-loop amplitude	333	8
9	8. Non-renormalisation theorems	339	9
10	Appendix A. The string S -matrix	342	10
11	Appendix A.1. The tree-amplitude	343	11
12	Appendix A.2. The genus-one amplitude	344	12
13	Appendix A.3. The genus two amplitude	346	13
14	Appendix A.4. Higher genus contributions	347	14
15	References	347	15
16			16
17			17
18	<i>Course 9. Preparing the LHC experiments for first data, by F. Gianotti</i>	353	19
19			18
20	1. Introduction	357	20
21	2. Machine status	357	21
22	3. The main experimental challenges	358	22
23	4. ATLAS and CMS	360	23
24	5. Physics goals and physics potential	363	24
25	5.1. First data and first measurements	364	25
26	5.2. Early discoveries	366	26
27	5.2.1. $Z' \rightarrow e^+e^-$	366	27
28	5.2.2. Supersymmetry	366	28
29	5.2.3. Standard Model Higgs boson	367	29
30	6. Conclusions	368	30
31	References	369	31
32			32
33			33
34	<i>Course 10. String theory, gravity and experiment, by Thibault Damour and Marc Lillej</i>	371	34
35			35
36			36
37	1. Introduction	375	37
38	2. Classical black holes as dissipative branes	376	38
39	2.1. Global properties of black holes	376	39
40	2.2. Black hole electrodynamics	385	40
41	2.3. Black hole viscosity	391	41
42			42

Contents

1	2.4. Irreversible thermodynamics of black holes	395	1
2	2.5. Hawking radiation	397	2
3	3. Experimental tests of gravity	405	3
4	3.1. Universal coupling of matter to gravity	405	4
5	3.2. Experimental tests of the coupling of matter to gravity	408	5
6	3.2.1. How constant are the constants?	408	6
7	3.2.2. Tests of local Lorentz invariance	409	7
8	3.2.3. Universality of free fall	411	8
9	3.2.4. Universality of the gravitational redshift	412	9
10	3.3. Tests of the dynamics of the gravitational field	412	10
11	3.3.1. Brief review of the theoretical background	412	11
12	3.3.2. Experimental tests in the solar system	417	12
13	3.3.3. Objects with strong self-gravity: binary pulsars	419	13
14	3.3.4. Tests of gravity on very large scales	423	14
15	4. String-inspired phenomenology of the gravitational sector	424	15
16	4.1. Overview	424	16
17	4.2. Long range modifications of gravity	427	17
18	4.2.1. The cosmological attractor mechanism	427	18
19	4.2.2. Observable consequences of the cosmological attractor		19
20	mechanism	429	20
21	5. String-related signals in cosmology	434	21
22	5.1. Alternatives to slow-roll inflation	434	22
23	5.2. Cosmic superstrings	436	23
24	5.2.1. Phenomenological origin	436	24
25	5.2.2. Observational signatures	438	25
26	5.2.3. String dynamics	440	26
27	5.2.4. Gravitational waves from a cosmological string network	443	27
28	6. Conclusion	445	28
29	Bibliography	445	29
30		445	30
31			31
32	<i>Course 11. Aspects of Hagedorn Holography,</i>		32
33	<i>by J.L.F. Barbón and E. Rabinovici</i>	449	33
34			34
35	1. Preamble	453	35
36	2. Introduction	453	36
37	3. The density of states of weakly coupled strings	455	37
38	3.1. Beyond the ideal gas	459	38
39	4. AdS as a finite-volume regulator	460	39
40	4.1. Holography and radiation effects	461	40
41	4.2. The physical picture	463	41
42			42

Contents

1	5. Little Hagedorn holography	465	1
2	5.1. The model	466	2
3	5.2. The classical thermodynamics	468	3
4	5.3. Stability	469	4
5	5.4. Balancing the act	470	5
6	6. Hagedorn holography deconstructed	473	6
7	6.1. The noncommutative Hagedorn model	475	7
8	7. Conclusion	478	8
9	References	479	9
10			10
11			11
12	<i>Course 12. Les Houches lectures on constructing string vacua, by Frederik Denef</i>	483	13
13			14
14	1. Introduction	487	15
15	2. Basics of string vacua	490	16
16	2.1. Why string vacua are dirty	490	17
17	2.1.1. The Dine–Seiberg problem	490	18
18	2.1.2. Flux vacua and no-go theorems	493	19
19	2.1.3. Orientifold planes and type II flux vacua	496	20
20	2.2. A brief overview of some existing scenarios	498	21
21	2.2.1. IIB orientifolds/F-theory	498	22
22	2.2.2. IIA orientifolds	499	23
23	2.2.3. M on G_2	500	24
24	2.2.4. Pure flux	501	25
25	2.2.5. Heterotic	501	26
26	2.2.6. Nongeometric	502	27
27	2.2.7. Noncritical	502	28
28	3. F-theory and type IIB orientifold compactifications	502	29
29	3.1. What is F-theory?	502	30
30	3.2. p -form potentials	507	31
31	3.3. Branes	508	32
32	3.4. Fluxes	509	33
33	3.5. M2/D3 tadpole	512	34
34	3.6. Example: K3	513	35
35	3.7. The weak coupling limit: orientifolds from F-theory, K3 example	516	36
36	3.8. Orientifolds from F-theory: general story	520	37
37	3.9. Localization, fluxes and tadpoles at weak coupling	523	38
38	3.10. Enhanced gauge symmetries and charged matter	528	39
39	4. Type IIB/F-theory flux vacua	529	40
40	4.1. Moduli	529	41
41			42

Contents

1	4.2. Low energy effective action in F-theory framework	530	1
2	4.3. Low energy effective action in IIB weak coupling limit	532	2
3	4.4. The effect of turning on fluxes	534	3
4	4.4.1. Effective potential	534	4
5	4.4.2. Intermezzo: Lefshetz $SU(2)$ and diagonalizing the Hodge	536	5
6	star operator	536	6
7	4.4.3. Superpotential formulation	537	7
8	4.4.4. Weak coupling limit	540	8
9	4.4.5. Supersymmetry	542	9
10	4.4.6. Warping	543	10
11	4.5. Quantum corrections	545	11
12	4.5.1. Instantons	545	12
13	4.5.2. Gaugino condensation	547	13
14	4.5.3. Relation between 4d gaugino condensation and M5	547	14
15	instantons	547	15
16	4.5.4. Geometric conditions for nonvanishing contributions	549	16
17	4.5.5. Corrections to the Kähler potential	550	17
18	4.6. The KKLT scenario	550	18
19	4.6.1. Complex structure stabilization	551	19
20	4.6.2. Kähler moduli stabilization	553	20
21	4.6.3. Uplifting to dS	554	21
22	4.7. The large volume (Swiss cheese) scenario	555	22
23	4.8. Recap and to do list	557	23
24	5. A geometrical toolkit	558	24
25	5.1. Toric varieties as gauged linear sigma model ground states	559	25
26	5.2. Divisors, line bundles and intersection numbers	561	26
27	5.3. Curves and Kähler moduli	563	27
28	5.4. Volumes	566	28
29	5.5. Characteristic classes	567	29
30	5.6. Holomorphic forms and Poincaré residues	570	30
31	5.7. Calabi–Yau submanifolds of toric varieties	573	31
32	5.8. Index formulae	576	32
33	5.9. Computing Hodge numbers	577	33
34	6. Statistics of flux vacua	579	34
35	6.1. The Bousso–Polchinski model	579	35
36	6.2. Distributions of F-theory flux vacua over complex structure mod-	581	37
37	uli space	581	37
38	6.2.1. Setting up the counting problem	581	38
39	6.2.2. A general asymptotic counting formula for zeros of vector	583	40
40	field ensembles	586	41
41	6.2.3. Application to F-theory flux vacua	586	42
42			

Contents

1	6.2.4. Application to IIB bulk flux vacua	589	1
2	6.2.5. Toy model	589	2
3	6.3. Regime of validity and improved estimates	591	3
4	6.4. More distributions	593	4
5	6.4.1. Distribution of W	593	5
6	6.4.2. Distribution of string coupling constants	594	6
7	6.4.3. Conifold clustering and distribution of warp factors	594	7
8	6.4.4. Distribution of compactification scales	595	8
9	6.4.5. Distributions of nonsupersymmetric flux vacua	596	9
10	6.5. Metastability, landscape population and probabilities	597	10
11	7. Explicit realizations of moduli stabilization scenarios	599	11
12	7.1. The elliptic fibration over \mathbb{CP}^3	600	12
13	7.2. The elliptic fibration over \mathcal{M}_n	601	13
14	References	605	14
15			15
16			16
17	<i>Course 13. Gauge-string dualities and some applications, by Marcus K. Benna and Igor R. Klebanov</i>	611	17
18			18
19	1. Introduction	615	19
20	2. Strings and QCD	616	20
21	3. The geometry of Dirichlet branes	618	21
22	4. The AdS/CFT correspondence	621	22
23	5. Semiclassical spinning strings vs. highly charged operators	623	23
24	6. Thermal gauge theory from near-extremal D3-branes	627	24
25	7. Warped conifold and its resolution	630	25
26	8. Deformation of the conifold	637	26
27	9. Normal modes of the warped throat	640	27
28	10. The baryonic branch	645	28
29	11. Cosmology in the throat	650	29
30	12. Summary	654	30
31	References	655	31
32			32
33			33
34			34
35			35
36			36
37			37
38			38
39			39
40			40
41			41
42			42